AD-A116 604

CENTER FOR NAVAL ANALYSES ALEXANDRIA VA MARINE CORP--ETC F/6 9/2
SOME MATHEMATICAL METHODS FOR MODELING THE PERFORMANCE OF A DIS--ETC(U)
UNCLASSIFIED

UNCLASSIFIED

CNA-PP-353

CNA-PP-353

CNA-PP-353

CNA-PP-354

CNA-PP-355

PROFESSIONAL PAPER 353 / June 1982



# SOME MATHEMATICAL METHODS FOR MODELING THE PERFORMANCE OF A **DISTRIBUTED DATA BASE SYSTEM**

C. Bernard Barfoot

COPY



**CENTER FOR NAVAL ANALYSES** 

This document has been approved for public roleans and sale; its its fibritian is relimited.

07

06 042

The ideas expressed in this paper are those of the author. The paper does not necessarily represent the views of the Center for Naval Analyses.

# SOME MATHEMATICAL METHODS FOR MODELING THE PERFORMANCE OF A DISTRIBUTED DATA BASE SYSTEM

C. Bernard Barfoot

N00014-76-0-0001



Marine Corps Operations Analysis Group


**CENTER FOR NAVAL ANALYSES** 

2000 North Beauregard Street, Alexandria, Virginia 22311

# Foreword

This paper was presented to the International Working Conference on Model Realism, which was held at Bad Honnef, West Germany, April 20-23, 1982.

The conference dealt with the modeling aspects of different systems theories and approaches. To get a common basis for discussion, three problem studies were introduced. This paper was a contribution to problem study 2: Reorganization in a Socio-Technical System, which postulated a distributed data base system with communication facilities for data transfer.



# SOME MATHEMATICAL METHODS FOR MODELING THE PERFORMANCE OF A DISTRIBUTED DATA BASE SYSTEM

C. Bernard Barfoot Center for Naval Analyses 2000 North Beauregard Street Alexandria, Virginia 22311 U.S.A.

This paper presents some mathematical methods for evaluating the performance of a distributed data base system (DDBS). Performance is measured by the speed and accuracy with which data are transmitted from one location to another. Five techniques are described: the Data Flow Model, a semi-Markov model for determining the spatial and temporal distribution of data that are to be transferred from one location to another; Optimal Sample Size Estimation, a method for determining the amount of data to be collected for input to the Data Flow Model; Confidence Interval Estimation, a method for estimating confidence intervals for the ouputs of the Data Flow Model; Sensitivity Estimation, a method for estimating the sensitivity of DDBS performance to changes in the parameters of the Data Flow Model; and the Aggregation of Stratified Semi-Markov Processes, a method for combining semi-Markov Data Flow Models developed for subsystems (e.g., geographic regions) into a single model that is representative of the entire DDBS.

### INTRODUCTION

An important consideration in establishing a distributed (decentralized) data base system (such as described in problem study 2: Reorganization in a Socio-Technical System) is a method for evaluating the performance of the system after it has been implemented. Distributed Data Base Systems (DDBS) often do not perform as planned: data transfers take too long, mistakes are made in updates, or data bases contain errors.

In this paper we describe some mathematical methods for modeling the performance of a distributed data base system. These methods were developed and used in an evaluation of the U.S. Marine Corps' Joint Uniform Military Pay System/Manpower Management System (JUMPS/MMS) [1].

The particular aspects of performance we wish to evaluate are the speed and accuracy with which data are transmitted from one location to another. To do this we must measure the propagation of errors in the DDBS and the delays and losses of data when transmitted from one location to another. Specific questions that we want to answer in the evaluation are these:

- 1. What percentage of data is transmitted from one location (source) to another (destination) without loss or error?
- 2. How long do these transmissions take?
- 3. What happens to data that are not successfully transmitted from source to destination?

- 4. How much will the percentage of successful transmissions increase if a decrease is made in a particular loss/error rate?
- 5. How much will the total transmission time decrease if a decrease is made in the delay at a particular location?
- 6. What degree of confidence do we have in our results?

For the purposes of our evaluation we assume that the DDBS can be modeled as a stochastic network in which the data flow from one location to another. More specifically, we assume that, by an appropriate definition of states, the flow of data can be modeled as a semi-Markov process with two types of states: (1) transient states, which are occupied temporarily by data before they move to another state, and (2) absorbing states, which are terminal points for data, since once reached they are never left (at least for the purposes of our evaluation). The absorbing states of the model are the intended destination of the data and the "data error or data loss" states associated with the transient states of the process.

To illustrate these ideas before proceeding, consider the simple state/flow diagram in figure 1. The dark lines in this illustrative example indicate what we call the <u>primary flow</u>, which is the path that data are supposed to take from source (state  $S_1$ ) to destination (state  $S_7$ ) through intermediate state  $S_2$ . The light lines indicate the <u>secondary flow</u>, which are paths taken by data that are either <u>misdirected</u>, erroneous, or lost.




FIG. 1: STATE TRANSITION DIAGRAM

As indicated in the diagram, we assume that errors, losses, and delays can occur at each transient state of the process. Data that are erroneous or lost are modeled as transitioning to an absorbing state, such as  $S_4$ ,  $S_5$ , or  $S_6$ . Only error-free data move from one transient state to another, or to the destination.

In the remainder of this paper we describe the following analytical methods for evaluating DDBS performance:

- Data Flow Model, a semi-Markov model consisting of q transient states and r absorbing states. Estimates of the transition probabilities and times are assumed to be based on sample data. The outputs of the model are estimates of (1) the distribution of source data among the absorbing states and (2) the time between source and destination.
- Confidence Interval Estimation, a method for estimating confidence intervals for the outputs of the Data Flow Model, whose inputs are estimates, based on sample data, of the transition probabilities and times.
- Optimal Sample Size Estimation, a method for estimating the amount of data to be collected at each transient state so as to obtain a given level of confidence in the output of the Data Flow Model at minimum cost of data collection.
- Sensitivity Estimation, a method for estimating the sensitivity of DDBS performance to changes in the parameters of the Data Flow Model.
- Aggregation of Stratified Semi-Markov Processes, a method for combining semi-Markov Data Flow Models developed for subsystems (e.g., geographic regions) into a single model that is representative of the entire system.

### DATA FLOW MODEL

The flow of data in the DDBS is modeled as a finite, stationary, absorbing, semi-Markov process. The inputs to the model are the transition probabilities  $p_{ij}$  from state  $S_i$  to state  $S_j$  and the delay time  $t_i$  at each transient state  $S_i$ . The outputs of the model are (1) the probability that an item of data reaches its intended destination; (2) the probability that an item is erroneously changed or lost at each transient state; and (3) the mean time and the distribution of time for an item of data to reach its intended destination.

Let  $P = (p_{ij})$  be the matrix of true (but unknown) transition probabilities. P can be partitioned into submatrices

$$\mathbf{P} = \begin{bmatrix} \mathbf{Q} & \mathbf{R} \\ \mathbf{O} & \mathbf{I} \end{bmatrix}$$

where the submatrix Q contains the transition probabilities between transient states, the submatrix R contains the transition probabilities from transient states to absorbing states, the zero submatrix O contains the transition probabilities from absorbing to transient states, and the identity submatrix I contains the transition probabilities between absorbing states.

The expected number  $h_{ij}$  of times the process is in transient state  $S_i$ , given that it originated in transient state  $S_i$ , is [2]

$$(h_{ij}) = H = (I - Q)^{-1}$$
.

The probability  $b_{ij}$  that the process terminates in absorbing state  $S_i$ , given that it was initially in state  $S_i$ , is [2]

$$(b_{ij}) = B = (I - Q)^{-1}R = HR$$
.

The matrix B provides the answers to questions 1 and 3 of our evaluation objectives. From it we can determine the percentage of data that reaches the destination without loss or error and the percentage that is lost or erroneously changed at each transient state of the process.

If the process terminates at absorbing state  $S_k$ , the expected number of times that the process was in transient state  $S_j$ , given that it originated in transient state  $S_i$ , is [2]

$$(\mathbf{m}_{i,j}) = \mathbf{M} = \mathbf{D}^{-1} \mathbf{H} \mathbf{D}$$

where D is a diagonal matrix whose diagonal elements are the probability  $b_{jk}$  that a process reaches absorbing state  $S_k$  given that it started in transient state  $S_i$ .

If the process terminates at absorbing state  $S_k$ , the expected time between arrival at transient state  $S_j$  and absorption in state  $S_k$  is

$$(v_i) = V = MT \tag{1}$$

where  $T = (t_j)$  is the column vector whose components are the expected times the process is in each transient state  $S_i$ .

The vector V provides part of the answer to question 2 of our evaluation objectives. Prom it we can determine  $\mathbf{v}_1$ , the expected time from source (state  $\mathbf{S}_1$ ) to destination by designating absorbing state  $\mathbf{S}_k$  as the destination. The distribution of time from source to destination is obtained by simulation rather than by analytic methods, unless the individual delay times are exponentially distributed.

## CONFIDENCE INTERVALS FOR B

We assume that, in practice, the inputs to the Data Flow Model (the transition probabilities and delay times) must be estimated from sample data and, therefore, are known only with a certain degree of accuracy. Consequently, the outputs of the Data Flow Model (B and V) are likewise known only with a certain degree of accuracy.

In this section we present a method for estimating confidence intervals for the matrix  $\hat{\mathbf{B}}$  (an estimator for B) when the transition probabilities are based on sample data. Similar methods, described in [1], can be used for estimating confidence intervals for  $\hat{\mathbf{V}}$ , an estimator for  $\mathbf{V}$ .

# The Variance of B

Let  $N_i$  be the number of observations at transient state  $S_i$  and let the random variable  $n_{i\,j}$  be the number of observations at  $S_i$  having

outcome  $S_j$ . Then an unbiased, minimum variance, maximum likelihood estimator for  $p_{i,j}$  is  $\hat{p}_{i,j} = n_{i,j}/N_i$ .

We then estimate the matrix B by  $\hat{B} = (I - \hat{Q})^{-1}\hat{R} = \hat{H}\hat{R}$ , where  $\hat{Q}$  and  $\hat{R}$  are submatrixes of  $\hat{P}$ :

$$\hat{P} = (\hat{P}_{ij}) = \begin{bmatrix} \hat{Q} & \hat{R} \\ \hat{Q} & \hat{I} \end{bmatrix}.$$

Since  $\hat{B}$  is a function of the  $\hat{p}_{ij}$ , we can expand  $\hat{B}$  in a Taylor series about  $(p_{ij})$ . The  $\hat{p}_{ij}$ s are not all independent variables,

however, since  $\sum_{j} p_{ij} = 1$  for all i. If, for each i, we arbitrarily let  $\hat{p}_{id} \in \hat{R}$  be the dependent variable such

that  $\hat{p}_{id} = 1 - \sum_{j \neq d} \hat{p}_{ij}$ , then the  $\hat{p}_{ij}$  for  $j \neq d$  are independent variables. Hence  $\hat{B}$  can be written

$$\hat{B} = B + \sum_{i}^{\infty} \sum_{j \neq d} \frac{\partial \hat{B}}{\partial \hat{p}_{ij}} (\hat{p}_{ij} - p_{ij}) + \text{higher order terms}$$

where  $\partial \hat{b}/\partial \hat{p}_{ij}$  is understood to be evaluated at  $\hat{p}_{ij} = p_{ij}$ , i is an element of the index set of transient states and j is an element of the index set of transient and absorbing states.\*

If we ignore the higher order terms we have

$$\hat{B} - B = \sum_{i} \sum_{j} \frac{\partial \hat{B}}{\partial \hat{p}_{i,j}} (\hat{p}_{i,j} - p_{i,j})$$

and

$$\operatorname{var}(\hat{B}) = \mathbb{E}[(\hat{B} - B)^{(2)}] \doteq \mathbb{E}\left\{\sum_{i} \sum_{j} \frac{\partial \hat{B}}{\partial \hat{p}_{ij}} (\hat{p}_{ij} - p_{ij})\right\}^{(2)}$$
(2)

<sup>\*</sup> As we shall see later,  $\partial \hat{B}/\partial \hat{p}_{id} = 0$ , hence we can actually sum over all j without difficulty.

where  $(\hat{B} - B)^{(2)} = (\hat{B} - B) \cdot (\hat{B} - B)$  denotes the <u>congruent product</u>\* of  $(\hat{B} - B)$  with itself.

Expanding (2) yields

$$var(\hat{B}) = \sum_{i} \sum_{j} \sum_{m} \sum_{k} \frac{\partial \hat{B}}{\partial \hat{p}_{ij}} \cdot \frac{\partial \hat{B}}{\partial \hat{p}_{mk}} = [(\hat{p}_{ij} - p_{ij})(\hat{p}_{mk} - p_{mk})]$$

$$= \sum_{i} \sum_{j} \sum_{m} \sum_{k} \frac{\partial \hat{B}}{\partial \hat{p}_{ij}} \cdot \frac{\partial \hat{B}}{\partial \hat{p}_{mk}} cov(\hat{p}_{ij}, \hat{p}_{mk})$$

$$= \sum_{i} \sum_{j} \sum_{k} \frac{\partial \hat{B}}{\partial \hat{p}_{ij}} \cdot \frac{\partial \hat{B}}{\partial \hat{p}_{ik}} \cdot \frac{\partial \hat{B}}{\partial \hat{p}_{ik}} \frac{p_{ij}(\delta_{jk} - p_{ik})}{N_{i}}$$

where  $\delta_{ik}$  is the Kronecker delta and  $N_i$  is the sample size at state  $S_i$ .

For convenience, let  $a_{ij} = \partial \hat{B}/\partial \hat{p}_{ij}$  and let  $A_i$  be the vector of matrices  $A_i = (a_{ij}) = (a_{i1}, \dots, a_{in})$ . Also, let  $P_i$  denote the  $i\frac{th}{t}$  row of P.

Then  $var(\hat{B})$  can be written in matrix notation as

$$var(\hat{B}) = \sum_{i} \frac{1}{N_{i}} \left[ A_{i}^{(2)} P_{i}^{T} - (A_{i} P_{i}^{T})^{(2)} \right]$$
 (3)

where  $P_i^T$  is the transpose of  $P_i$ ,  $A_i P_i^T = \sum_j a_{ij} P_{ij}$ , and  $A_i^{(2)} = (a_{ij}^{(2)})$ .

<sup>\*</sup> The congruent product is defined in general for a matrix  $A = (a_{ij})$  as  $A \bullet A = A^{(2)} = (a_{ij}^2)$ . Thus congruent matrix multiplication is the multiplication of corresponding elements. More generally, the congruent product of two commensurate matrices  $A = (a_{ij})$  and  $b = (b_{ij})$  is defined by  $A \bullet B = (a_{ij}b_{ij})$  for all i and j.

# The Derivative of B

The expression for  $var(\hat{B})$  contains the derivative of  $\hat{B}$ , which is

$$\frac{\partial \hat{\mathbf{b}}}{\partial \hat{\mathbf{p}}_{\mathbf{i}j}} = \hat{\mathbf{H}} \left[ \frac{\partial \hat{\mathbf{Q}}}{\partial \hat{\mathbf{p}}_{\mathbf{i}j}} \hat{\mathbf{b}} + \frac{\partial \hat{\mathbf{R}}}{\partial \hat{\mathbf{p}}_{\mathbf{i}j}} \right].$$

By definition,  $\hat{Q} = (\hat{p}_{rc})$  when r and c are both elements of the index set of transient states and  $\hat{R} = (\hat{p}_{rc})$  when r is an element of the index set of transient states but c is an element of the index set of absorbing states.

Therefore,

$$\frac{\partial \hat{Q}}{\partial \hat{p}_{ij}} = \begin{cases}
0, & \hat{p}_{ij} \in \hat{R} \\
(\delta_{ri}\delta_{cj}), & \hat{p}_{ij} \in \hat{Q}
\end{cases}$$

$$\frac{\partial \hat{R}}{\partial \hat{p}_{ij}} = \begin{cases}
(\delta_{ri}(\delta_{cj} - \delta_{cd})), & \hat{p}_{ij} \in \hat{R} \\
0, & \hat{p}_{ij} \in \hat{Q}
\end{cases}.$$

Hence

$$\frac{\partial \hat{\mathbf{s}}}{\partial \hat{\mathbf{p}}_{ij}} = \begin{cases} (\hat{\mathbf{h}}_{ri} \delta_{cj}) - (\hat{\mathbf{h}}_{ri} \delta_{cd}), & \hat{\mathbf{p}}_{ij} \in \hat{\mathbf{k}} \\ (\hat{\mathbf{h}}_{rj} \hat{\mathbf{b}}_{jc}), & \hat{\mathbf{p}}_{ij} \in \hat{\mathbf{Q}} \end{cases}$$
(4)

As noted previously, when  $\hat{p}_{ij} \in \hat{R}$  and j = d,  $\partial \hat{b}/\partial \hat{p}_{ij} \equiv 0$ .

# Confidence Intervals

To estimate confidence intervals for  $\hat{B}$  we assume that  $\hat{B}$  is normally distributed with mean B and variance  $var(\hat{B})$ . Then an approximate  $1-\alpha$  confidence interval for  $\hat{B}$  is

$$(B^* - Z_{\alpha/2}(var^*(\hat{B}))^{(1/2)}, B^* + Z_{\alpha/2}(var^*(\hat{B}))^{(1/2)})$$

where  $B^*$  and  $var^*(\hat{B})$  are the sample values of  $\hat{B}$  and  $var(\hat{B})$ ,

 $(\operatorname{var}(\hat{B}))^{(1/2)}$  is the matrix such that  $[(\operatorname{var}(\hat{B}))^{(1/2)}]^{(2)} = \operatorname{var}(\hat{B})$ , and  $\int_{Z_{\alpha/2}}^{\infty} \frac{1}{\sqrt{2\pi}} e^{-x^2/2} dx = \alpha/2$ .

## OPTIMAL SAMPLE SIZES

Now that we have an estimate of a confidence interval for  $\hat{B}$ , we can estimate the sample sizes at each transient state  $S_i$  that will produce a confidence interval for a particular  $b_{IJ}$  at minimum cost.

Let  $\mathbf{W}_{\overline{\mathbf{I}} \mathbf{J}}$  be the desired width of the confidence interval for  $\mathbf{b}_{\overline{\mathbf{I}} \mathbf{J}}$  and let

$$G_{iIJ} = e_i^T \left[ A_i^{(2)} P_i^T - (A_i P_i^T)^{(2)} \right] e_J$$

where  $e_I$  and  $e_J$  are the unit column vectors  $e_I$  =  $(\delta_{Ij})$  and  $e_J$  =  $(\delta_{Jj})$ . Then we can write  $W_{IJ}$  as

$$W_{IJ} = 2Z_{\alpha/2} \left[ \sum_{i} \frac{G_{iIJ}}{N_i} \right]^{1/2} .$$

Let  $C_1(N_1)$  be the cost of collecting a sample of size  $N_1$  at transient state  $S_1$ . We assume  $C_1$  has the form  $C_1(N_1) = \beta_1 + \gamma_1 N_1$ .

We wish to determine the values of the  $N_1$  such that the total cost of data collection will be minimized and the desired confidence interval width will be obtained. Thus, our problem is to

minimize 
$$\sum_{i} C_{i}(N_{i}) = \sum_{i} (\beta_{i} + \gamma_{i} N_{i})$$
 (5)

subject to

$$W_{IJ} = 2Z_{\alpha/2} \left[ \sum_{i} \frac{G_{iIJ}}{N_{i}} \right]^{1/2}$$

The solution to this constrained optimization problem (using Lagrange multipliers) yields  $N_{1}^{\star}$ , the optimal value of  $N_{1}$ :

$$N_i^* = \left(\frac{2Z_{\alpha/2}}{W_{IJ}}\right)^2 \left(\frac{G_{IIJ}}{\gamma_i} \sum_j G_{jIJ} \gamma_j\right)^{1/2}$$

## SENSITIVITY ANALYSIS

Two of our evaluation objectives are to determine the sensitivity of the percentage of successful transmissions to changes in individual error/loss rates (question 4) and the sensitivity of the total transmission time to changes in the individual sojourn times (question 5).

If  $y = f(x_1, ..., x_n)$ , then the sensitivity of y to  $x_i$  is  $\Gamma_{yx_i} = \frac{\partial y}{\partial x_i} \frac{x_i}{y}$ . The sensitivity of y to  $x_i$  is the percentage change in y that results from a 1 percent change in  $x_i$ .

# Sensitivity to Errors and Losses

In our evaluation we want to determine the sensitivity of  $b_{lk}$  (the probability of successful transmission from source (state  $S_l$ ) to destination (state  $S_k$ )) to some error/loss transition probability  $p_{IJ}$   $\in R$ .

Using the expression for the derivative of B (equation (4)), we have

$$r_{b_{1k}p_{IJ}} = -h_{1I}\left(\frac{p_{IJ}}{b_{1k}}\right)$$
.

Thus the sensitivity is directly proportional not only to  $p_{IJ}$ , but also to  $h_{II}$ , the expected number of times the process is in state  $S_I$ , given that it began in state  $S_I$ . The negative sign indicates that an increase in either  $h_{II}$  or  $p_{IJ}$  results in a decrease in  $b_{1k}$ .

# Sensitivity to Delays

We also want to determine the sensitivity of  $v_1$  (the expected time from source (state  $S_1$ ) to destination (state  $S_k$ )) to the expected delay time  $t_i$  at transient state  $S_i$ .

From equation (1), V = MT, so  $\partial v_1/\partial t_1 = m_{11}$ .

Therefore 
$$\Gamma_{v_1t_j} = m_{1j} \left(\frac{t_j}{v_1}\right)$$
.

# AGGREGATION OF STRATIFIED SEMI-MARKOV PROCESSES

When modeling the performance of a DDBS, it might be necessary or desirable to stratify the system into subsystems and model the performance of each of these individual subsystems. For example, in our DDBS evaluation, the flow of data might be modeled for separate geographic regions (subsystems) to determine their performance. The Data Flow Model for each region would have the same state space, but the input data to the model might be different for each region because of differences in performance. When the above procedure is used, the resulting semi-Markov process of each subsystem becomes a conditional semi-Markov process in that its transition probabilities and times are relative to its associated subsystem.

In this section we derive the method for aggregating these separate conditional processes (each of which has the same state space) into a single (unconditional) process that is representative of the total system and has the same state space as the conditional processes.

# Illustrative Example

Figure 2 illustrates a simple four-state process  $\Psi$  which has been stratified into two subprocess  $\Psi_1$  and  $\Psi_2$  .

Suppose data has been collected for each subprocess and transition probabilities have been estimated as shown in the matrices of transition probabilities  $P_1$  and  $P_2$ . Further, suppose we know the fraction of time

FIG. 2: FOUR-STATE PROCESS WITH TWO SUBPROCESSES

(i.e., the probability) that the process originates in each subprocess, say  $f_1$  and  $f_2$ , and also know that the process always begins in state  $S_1$ . Given this information, how do we determine P? This example illustrates the general problem addressed in this section. As we shall see later, what might be considered as two "obvious" methods of determining P do not, in general, work: (1) aggregating the data from the subprocesses and (2) defining  $P = f_1P_1 + f_2P_2$ .

# Derivation of P

Suppose the process  $\Psi$  under study can be stratified into m subprocesses  $\Psi_k$ ,  $k \in (1, 2, ..., m)$ , each with the same state space. We assume that  $\Psi$  and all the  $\Psi_k$  are being modeled as an irreducible absorbing semi-Markov process with q transient states and r absorbing states. We also assume that the matrix  $P_k$  of transition probabilities for subprocess  $\Psi_k$  can be partitioned into submatrices  $Q_k$ ,  $R_k$ , O, and I in the same manner that P has been partitioned earlier in the paper.

As shown earlier, the probability that  $\frac{\Psi}{k}$  is absorbed in  $S_j$ , given that the process began in transient state  $S_i$ , is  $B_k = (b_{ijk}) = (I - Q_k)^{-1}R_k = H_kR_k$ .

We assume, without loss of generality, that  $\Psi_k$  always begins in a particular transient state, say  $S_1$ . Then the probability that  $\Psi_k$  terminates in  $S_j$  is  $b_{1k} = e_1^T B_k = e_1^T H_k R_k$ , where  $e_1$  is the unit column vector  $e_1 = (\delta_{i,1})$ .

If we let  $f_k$  be the probability that the process originates in  $Y_k$  ( $\sum f_k = 1$ ), then the probability that the process terminates in  $S_j$  is

$$b_1 = \sum_{k} f_k b_{1k} = e_1^T \sum_{k} f_k (I - Q_k)^{-1} R_k$$

Our problem is to determine the stochastic matrix P of order q+r such that

$$P = (p_{i,j}) = \begin{bmatrix} Q & R \\ O & I \end{bmatrix}$$
and  $e_1^T (I - Q)^{-1} R = e_1^T \sum_k f_k (I - Q_k)^{-1} R_k$ 

To obtain an expression for P, let

 $H_{1k}^d$  = a diagonal matrix of order q whose diagonal elements are from the first row of  $H_k$ 

$$A_{k} = \begin{bmatrix} \frac{H_{1k}^{d}}{0} & 0 \\ \hline 0 & 1 \end{bmatrix} = a \text{ diagonal matrix of order } q + r.$$

Then it is easily shown [1] that

$$P = \left(\sum_{k} f_{k}^{A} A_{k}\right)^{-1} \sum_{k} f_{k}^{A} A_{k}^{P} A_{$$

$$Q = \left(\sum_{k} f_{k} H_{lk}^{d}\right)^{-1} \sum_{k} f_{k} H_{lk}^{d} Q_{k} ,$$

and

$$R = \left(\sum_{k} f_{k} H_{1k}^{d}\right)^{-1} \sum_{k} f_{k} H_{1k}^{d} R_{k} .$$

### PRACTICAL EXPERIENCE WITH THE MODELS

The Data Flow Model described in this paper has been used in three separate evaluations of the performance of distributed data base systems ([1], [3], and [4]). The methods for estimating confidence intervals, for estimating sensitivity, and for aggregating stratified semi-Markov processes were also used in [1]. The system under study in [1] was stratified into five subsystems by geographic location. The Data Flow Model for each subsystem comprised 57 transient states and 32 absorbing states. Data for estimating transition probabilities and times were collected by a combination of automated and manual methods. Sample sizes were determined heuristically rather than by the method described

in this paper, which was not developed until after the completion of [1].

#### CONCLUSION

This paper has presented a framework and a set of mathematical methods for modeling the performance of a distributed data base system, where performance is measured by the speed and accuracy with which data are transmitted from one location to another. A semi-Markov Data Flow Model was described that provides estimates of the temporal and spatial distribution of data that are to be transmitted from a source to a destination. Methods were presented for estimating confidence intervals for model outputs and for estimating optimal sample sizes for model inputs. Techniques were derived for determining the sensitivity of model outputs to model parameters. A method was presented for aggregating a set of stratified semi-Markov Data Flow Models into a single model.

#### REFERENCES

- [1] Barfoot, C.B., and P. Hammick. 1975. Data Losses and Time Delays in the Joint Uniform Military Pay System/Manpower Management System (JUMPS/MMS). Study 1065. Center for Naval Analyses, Alexandria, VA U.S.A.
- [2] Kemeny, J.G., and J.L. Snell. 1960. Finite Markov Chains. D. Van Nostrand Co. Inc. Princeton, NJ U.S.A.
- [3] Barfoot, C.B., and D.E. Willhite. 1972. Delays and Losses of Data in the Manpower Management System. Study 1009. Center for Naval Analyses, Alexandria, VA U.S.A.
- [4] Millard, C.A., and P.M. Buckley. 1979. The Effectiveness of Information Processing in JUMPS/MMS. Research Contribution 404. Center for Naval Analyses, Alexandria, VA U.S.A.

#### CNA PROFESSIONAL PAPERS - 1978 TO PRESENT®

PP 211

Mizrahi, Maurica M., "On Approximating the Circular Coverage Function," 14 pp., Feb 1978, AD A054 429

PP 212

Mangel, Marc, "On Singular Characteristic initial Value Problems with Unique Solution," 20 pp., Jun 1978, AD A058 535

PP 21

Mangel, Marc, "Fluctuations in Systems with Multiple Steedy States Application to Lanchester Equations," 12 pps, Feb 78 (Presented at the First Annual workshop on the Information Linkage Between Applied Mathematics and Industry, Nevel PG School, Feb 23-25, 1978), AD A071 472

PP 214

Weinland, Robert G., "A Somewhat Different View of The Optimal Neval Posture," 37 pp., Jun 1978 (Presented at the 1976 Convention of the American Political Science Association (APSA/IUS Panel on "Changing Strategic Requirements and Military Posture"), Chicago, Ill., September 2, 1976), AD A096 228

PP 215

Colle, Russell C., "Comments on: Principles of information Retrieval by Manfred Kochen," 10 pp., Mor 78 (Published as a Letter to the Editor, Journal of Documentation, Vol. 31, No. 4, pages 298-301), December 1975), AD A054 426

PP 216

Coile, Russell C., "Lotke's Frequency Distribution of Scientific Productivity," 18 pp., Feb 1978 (Published in the Journal of the American Society for Information Science, Vol. 28, No. 6, pp. 366-370, November 1977), AD A054 425

PP 217

Coile, Russell C., "Bibliometric Studies of Scientific Productivity," 17 pp., Mer 78 (Presented at the Annual meeting of the American Society for information Science held In Sen Francisco, California, October 1976), AD A

PP 218 - Classified

PP 219

Huntzinger, R. Laver, "Market Analysis with Rational Expectations: Theory and Estimation," 60 pp., Apr 78, AD A054 422

PP 22

Maurer, Donald E., "Diagonalization by Group Matrices," 26 pp., Apr 78, AD A094 443

PP 221

Meinland, Robert G., "Superpower Nevel Diplomacy in the October 1973 Arab-Israell Ner," 76 pp., Jun 1978 (Published in Sespower in the Mediterranean: Political Utility and Military Constraints, The Meshington Papers No. 61, Beverly Hills and London: Sage Publications, 1979) AD A055 564

PP 222

Mizrahl, Maurice M., "Correspondence Rules and Path integrals," 30 pp., Jun 1978 (Invited paper presented at the CNRS meeting on "Methemetical Problems in Feynman's Path Integrals," Marsellle, France, May 22-26, 1978) (Published in Springer Verlag Lecture Notes in Physics, 106, (1979), 234-253) AD A055 536

PP 223

Mangel, Marc, "Stochestic Mechanics of Moleculeion Molecule Reactions," 21 pps, Jun 1978, AD A056 227

PP 22

Manger, Marc, "Aggregation, Biturcation, and Extinction in Exploited Animal Populations"," 48 pp., Mar 1978, AD A058 536

\*Portions of this work were started at the institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, B.C., Canada

PP 22

Mangel, Merc, "Oscillations, Fluctuations, and the Hopf Bifurcation"," 43 pp., Jun 1978, AD A058 537 "Portlons of this work were completed at the institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, Canada.

PP 226

Raiston, J. M. and J. W. Mann, "Temperature and Current Dependence of Degradation in Red-Emitting GaP LEDs," 34 pp., Jun 1978 (Published in Journal of Applied Physics, 50, 3630, May 1979) AD A058 538

"Beil Telephone Laboratories, Inc.

PP 22

Mangel, Marc, "Uniform Treatment of Fluctuations at Critical Points," 50 pp., May 1978, AD A058 539

PP 221

Mangel, Marc, "Relaxation at Critical Points: Deterministic and Stochestic Theory," 54 pp., Jun 1978, AD A058 540

PP 22

Mangel, Marc, \*Diffusion Theory of Reaction Rates, 1: Formulation and Einstein-Smoluchowski Approximation,\* 50 pps, Jan 1978, AD A058 541

PP 23

Nangei, Marc, "Diffusion Theory of Reaction Rates, ii Ornstein-Uhlenbeck Approximation," 34 pp., Feb 1978, AD A058 542

PP 23

Wilson, Desmond P., Jr., "Navel Projection Forces: The Case for a Responsive MAF," Aug 1978, AD A054 545

PP 232

Jacobson, Louis, "Can Policy Changes Be Made Acceptable to Labor?" Aug 1978 (Submitted for publication in industrial and Labor Relations Review), AD A061 528

\*CMA Professional Papers with an AD number may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22151. Other papers are available from the Nanagement Information Office, Center for Navai Analyses, 2000 North Beauregars Street, Alexandria, Virginia 22311. An Index of Selected Publications is also available on request. The Index Includes a Listing of Professional Papers; with abstracts; Issued from 1969 to June 1981.

Jacobson, Louis, "An Alternative Explanation of the Cyclical Pattern of Quits," 23 pp., Sep 1978

PP 234 - Revised

Jondrow, Jesses and Levy, Robert A., "Does Federal Expenditure Displace State and Local Expenditure: The Case of Construction Grants," 25 pp., Oct 1979, AD AD61 529

PP 235

Mizzahl, Maurice M., "The Samiclassical Expansion of the Anharmonic-Oscillator Propagator," 41 pp., Oct 1978 (Published in Journal of Mathematical Physics 20 (1979) pp. 844-859), AD A061 538

PP 237

Maurer, Donald, "A Matrix Oriterion for Normal Integral Beses," 10 pp., Jan 1979 (Published in the Illinois Journal of Mathematics, Vol. 22 (1978), pp. 672-681

PP 238

Utgoff, Kathleen Classen, "Unemployment Insurance and The Employment Rate," 20 pp., Oct 1978 (Presented at the Conference on Economic Indicators and Performance: The Current Oliema Feeling Government and Business Leaders, presented by Indiana University Graduate School of Business). AD A061 527

PP 239

Trost, R. P. and Warner, J. T., "The Effects of Military Occupational Training on Civilian Earnings: An Income Selectivity Approach," 38 pp., Nov 1979k, AD A077 831

PP 240

Powers, Bruce, "Goels of the Center for Nevel Analyses," 13 pp., Dec 1978, AD A063 759

PP 241

Mangel, Merc, "Fluctuations at Chemical Instabliities," 24 pp., Dec 1978 (Published in Journal of Chemical Physics, Vol. 69, No. 8, Oct 15, 1978). AD A063 787

PP 242

Simpson, William R., "The Analysis of Dynamically Interective Systems (Air Combat by the Numbers)," 160 pp., Dec 1978, AD A063 760

PP 24

Simpson, William R., "A Probabilistic Formulation of Murphy Dynamics as Applied to the Analysis of Operational Research Problems," 18 pp., Dec 1978, AD A063 761

PP 244

Shermen, Allen and Horowitz, Stanley A., "Maintenance Costs of Complex Equipment," 20 pp., Dec 1978 (Published By The American Society of Naval Engineers, Naval Engineers Journal, Vol. 91, No. 6, Dec 1979) AD AD71 473

PP 245

Simpson, William R., "The Accelerometer Methods of Obtaining Aircraft Performance from Filight Test Date (Dynamic Performance Testing)," 403 pp., Jun 1979, AD A075 226

PP 24

Brechiling, Frank, "Layoffs and Unemployment Insurance," 35 pp., Feb 1979 (Presented at the Nber Conference on "Low Income Labor Markets," Chicago, Jun 1978), AD A096 629

PP 248

Thomas, James A., Jr., "The Transport Properties of Dilute Gases in Applied Fields," 183 pp., Mar 1979, AD A096 464 PP 249

Glasser, Kenneth S., "A Secretary Problem with a Random Number of Choices," 23 pp., Mar 1979

PP 250

Mangel, Marc, "Modeling Fluctuations in Macroscopic Systems," 26 pp., Jun 1979

PP 25

Trost, Robert P., "The Estimation and Interpretation of Several Selectivity Models," 37 pp., Jun 1979, AD A075 941

PP 25

Nunn, Waiter R., "Position Finding with Prior Knowledge of Coverience Parameters," 5 pp., Jun 1979 (Published in IEEE Transactions on Aerospace & Electronic Systems, Vol. AES-15, No. 3, Mar 1979

PP 253

Glasser, Kenneth S., "The d-Cholce Secretary Problem," 32 pp., Jun 1979, AD A075 225

PP 25

Mangel, Marc and Quanbeck, David B., "Integration of a Biverlate Normal Over an Offset Circle," 14 pp., Jun 1979, AD A006 471

- PP 255 Classified, AD 8051 441L
- PP 256

Maurer, Donald E., "Using Personnel Distribution Models," 27 pp., Feb 1980, AD A082 218

PP 25

Theier, R., "Discounting and Fiscal Constraints: Why Discounting is Always Right," 10 pp., Aug 1979, AD A075 224

PP 25

Mangel, Marc S. and Thomas, James A., Jr., "Analytical Mathods in Search Theory," 86 pp., Nov 1979, AD A077 832

PP 25

Glass, David V.; Hsu, In-Ching; Nunn, Waiter R., and Perin, David A., "A Class of Commutative Merkov Metrices," 17 pp., Nov 1979, AD A077 833

DD 260

Mangel, Marc S. and Cope, Davis K., "Detection Rate and Sweep Width In Visual Search," 14 pp., Nov 1979, AD A077 834

PP 261

Vila, Carlos L.; Zvijac, David J. and Ross, John, "Franck-Condon Theory of Chemical Dynamics. Vi. Angular Distributions of Reaction Products," 14 pp., Nov 1979 (Reprinted from Journal Chemical Phys. 70(12), 15 Jun 1979), AD AD76 287

PP 262

Petersen, Charles C., "Third World Military Elites in Soviet Perspective," 50 pp., Nov 1979, AD A077 835

PP 26

Robinson, Kethy I., "Using Commercial Tankers and Containerships for Navy Underwey Replanishment," 25 pp., Nov 1979, AD A077 836

Committee ...

Weinland, Robert G., "The U.S. Nevy in the Pacific Past, Present, and Gilepses of the Future," 31 pp., Nov 1979 (Delivered at the international Symposium on the Sea, sponsored by the international institute for Strategic Studies, The Brockings institution and the Yomiumi Shimbun, Tokyo. 16-20 Oct 1978) AD 4066 837

#### PP 265

Melniand, Robert G., Mar and Peace in the North: Some Political implications of the Changing Military Situation in Northern Europe," 18 pp., Nov 1979 (Prepared for presentation to the Conference of the Nordic Balance in Perspective: The Changing Military and Political Situation," Center for Strategic and International Studies, Georgeton University, Jun 15-16, 1978) AD A077 838

#### PP 266

Utgoff, Kathy Classen, and Brechling, Frank, "Taxes and Inflation," 25 pp., Nov 1979, AD AD81 194

#### PP 267

Trost, Robert P., and Vogel, Robert C., "The Response of State Government Receipts to Economic Fluctuations and the Allocation of Counter-Cyclical Revenue Sharing Grants," 12 pp., Dec 1979 (Reprinted from the Review of Economics and Statistics, Vol. LXI, No. 3, August 1979)

#### PP 268

Thomeson, James S., "Seaport Dependence and Inter-State Obsperation: The Case of Sub-Saharan Africa," 141 pp., Jan 1980, AD AO81 193

#### PP 269

Meiss, Kenneth G., "The Soviet involvement in the Ogaden Mer," 42 pp., Jan 1980 (Presented at the Southern Conference on Stavic Studies in October, 1979), AD A082 219

#### PP 270

Remnek, Richard, "Soviet Polloy in the Morn of Africa: The Decision to Interwene," 52 pp., Jan 1980 (Tobe published in "The Soviet Union in the Third World: Success or Fallure," eds by Robert Ha Donaldson, Westview Press, Boulder, Co., Summer 1980, AD A081 195

#### PP 27

McConnell, James, "Soviet and American Strategic Doctrines: One Nore Time," 43 pp., Jan 1980, AD 4081 192

#### PP 272

Weiss, Kenneth G., "The Azores in Diplomacy and Strategy, 1940-1945, 46 pp., Mar 1980, AD AD85 094

#### PP 27

Nakeda, Michael K., "Labor Supply of Wives with Husbends Employed Either Full Time or Part Time," 39 pp., Mer 1980, AD A082 220

#### PP 274

Nunn, Walter R., "A Result in the Theory of Spiral Search," 9 pp., Mar 1980

#### PP 275

Goldbarg, Lawrence, "Recruiters Advertising and Nevy Enlistments," 34 pp., Mar 1980, AD 4082 221

#### PP 276

Goldberg, Lewrence, "Delaying an Overheul and Ship's Equipment," 40 pp., May 1980, AD A085 095

#### PP 277

Mangel, Marc, "Small Fluctuations in Systems with Multiple Limit Cycles," 19 pp., Mar 1980 (Published in SIAM J. Appl. Math., Vol. 38, No. 1, Feb 1980) AD A086 229

#### PP 27

Mizrahl, Maurice, "A Targeting Problem: Exact vs. Expected-Value Approaches," 23 pp., Apr 1980, AD A085 096

#### PP 27

Welf, Stephen M., "Causal Inferences and the Use of Force: A Critique of Force Without War," 50 pp., May 1980, AD A085 097

#### P 280

Goldberg, Lawrence, "Estimation of the Effects of A Ship's Steaming on the Fallure Rate of its Equipment: An Application of Econometric Analysis," 25 pp., Apr 1980, AD A085 098

#### PP 281

Mizrahl, Maurice N., "Comment on "Discretization Problems of Functional Integrals in Phase Space", 2 pp., May 1980, published in "Physical Review O", Vol. 22 (1980), AD A094 994

#### PP 283

Dismukes, Bradford, "Expected Demand for the U.S. Nevy to Serve as An Instrument of U.S. Foreign Policy: Thinking About Political and Military Environmental Factors," 30 pp., Apr 1980, AD A085 099

#### PP 28

J. Kellson, \* W. Nunn, and U. Sumita, \*\* \*The Laguerre Transform, \* 119 pp., May 1980, AD A085 100
\*The Graduate School of Management, University of Rochester and the Center for Naval Analyses
\*\*The Graduate School of Management, University of Rochester

#### PP 28

Remnek, Richard B., "Superpower Security Interests in the Indian Ocean Area," 26 pp., Jun 1980, AD A087 113

#### PP 286

Migrahl, Maurice M., "On the MKB Approximation to the Propagator for Arbitrary Hamiltonians," 25 pp., Aug 1980 (Published in Journal of Math. Phys., 22(1) Jan 1981), AD A091 307

#### PP 28

Cope, Davis, "Limit Cycle Solutions of Reaction-Offfusion Equations," 35 pp., Jun 1980, AD AD87 114

#### PP 288

Golman, Waiter, "Don't Let Your Slides Filp You: A Painless Quide to Visuals That Really Aid," 28 pp., Oct 1980, AD A092 732

#### PP 289

Robinson, Jack, "Adequate Classification Guidance - A Solution and a Problem," 7 pp., Aug 1980, AD A091 212

#### PP 290

Matson, Gregory He, "Evaluation of Computer Software in an Operational Environment," 17 pp., Aug 1980, AD AD91 213

#### PP 29

Meddela, G. S.º and Trost, R. P., "Some Extensions of the Meriove Press Model," 17 pp., Oct 1980, AD AD91 946 "University of Fiorida

Thomas, James A., Jr., "The Transport Properties of Binary Gas Mixtures in Applied Magnetic Fields," 10 pp., Sept 1980 (Published in Journal of Chemical Physics 72(10), 15 May 1980

PP 293

Thomas, James A., Jr., "Evaluation of Kinetic Theory Collision Integrals Using the Generalized Phase Shift Approach," 12 pp., Sept 1980 (Printed in Journal of Chemical Physics 72(10), 15 May 1980

PP 294

Roberts, Stephen S., "French Nava! Policy Outside of Europe," 30 pp., Sept 1980 (Presented at the Conference of the Section on Military Studies, International Studies Association Klawsh Island, S.C.), AD A091 306

PP 29

Roberts, Stephen S., "An Indicator of Informal Empire: Patterns of U.S. Navy Cruising on Overseas Stations, 1869-1897," 40 pp., Sept 1980 (Presented at Fourth Naval History Symposium, US Naval Academy, 26 October 1979, AD 4091 316

PP 296

Dismukes, Bradford and Petersen, Charles C., "Maritime Factors Affecting Iberian Sacurity," (Factores Maritimos Que Afectan La Securidad Ibeica) 14 pp., Oct 1980, AD A092 733

PP 297 - Classified

PP 298

Mizrahi, Maurice M., "A Markov Approach to Large Missile Artacks," 31 pp., Jan 1981, AD 4096,159

PP 299

Jondrow, James M. and Levy, Robert A., "Wage Leadership in Construction, 19 pp., Jan 1981, AD 4094 797

PP 300

Jondrow, James and Schmidt, Peter, \* "On the Estimation of Technical Inefficiency in the Stochastic Frontier Production Function Model, \* 11 pp., Jan 1981, AD A096 160 \*Michigan State University

PP 301

Jondrow, James M., Levy, Robert A. and Hughes, Claire, "Technical Change and Employment in Steel, Autos, Aluminum, and Iron Ore, 17 pp., Mar 1981, AD A099 394

PP 302

Jondray, James M. and Levy, Robert A., "The Effect of Imports on Employment Under Rational Expectations," 19 pp., Apr 1981, AD A099 392

PP 30

Thomason, James, "The Rerest Commodity in the Coming Resource Wers,"  $3~pp_*$ , Aug 1981 (Published in the Weshington Star, April 13, 1981)

PP 304

Duffy, Michael K.; Greenwood, Michael J.\* and McDowell, John M.,\*\* "A Gross-Sectional Nodel of Annual Interregional Migration and Employment Growth: Intertemporal Evidence of Structural Change, 1958-1975," 31 pp., Apr 1981, AD A099 393 \*University of Colorado

\*\*Arizona State University

PP 305

Nunn, Laura H., "An introduction to the Literature of Search Theory,"  $32\ pp$ , Jun 1981

PP 306

Anger, Thomas E., "What Good Are Warfara Models?" 7 pp., May 1981

PP 307

Thomason, James, "Dependence, Risk, and Yulnerability,"

PP 308

Mizrahi, M.M., "Correspondence Rules and Path Integrals," Jul 1981. Published in "Nuovo Cimento B", Vol. 61 (1981)

PP 309

Weinland, Robert G., "An (The?) Explanation of the Soviet Invasion of Afchanistan," 44 pp., May 1981

PP 310

Stanford, Janette M. and Tal Te Wu, ""A Predictive Method for Determining Possible Three-dimensional Foldings of immunoglobulin Backbones Around Antibody Combining Sites," 19 pp., Jun 1981 (Published in J. theor. Biol. (1981) 88, 421-439

\*Northwestern University, Evanston, IL

PP 311

Bowes, Marlanne, Brechling, Frank P. R., and Utgoff, Kathleen P. Classen, "An Evaluation of Ul Funds," 13 pp., May 1981 (Published in National Commission on Unemployment Compensation's Unemployment Compensation: Studies and Research, Volume 2, July 1980)

PP 312

Jondrow, James; Bowes, Marianne and Levy, Robert, "The Optimum Speed Limit," 23 pp., May 1981

PP 313

Roberts, Stephen S., "The U.S. Navy in the 1980s," 36 pp., Jul 1981

PP 314

Jehn, Christopher; Horowitz, Stanley A. and Lookman, Robert F., "Examining the Draft Debate," 20 pp., Jul 1981

PP 315

Buck, Raiph V., Capt., "Le Catastrophe by any other name...," 4 pp., Jul 1981

PP 316

Roberts, Stephen S., "Western European and NATO Navies. 1980," 20 pp., Aug 1981

PP 317

Roberts, Stephen S., "Superpower Naval Crisis Management In the Mediterranean," 35 pp., Aug 1981

PP 318

Yego, Milan N., "Yugoslavia and the Soviet Policy of Force in the Mediterranean Since 1961," 187 pp., Aug 1981

PP 319

Smith, Michael W., "Antiair Warfare Defense of Ships at Sea," 46 pp., Sep 1981 (This talk was delivered at the Naval Warfare System and Technology Conference of the American Institute of Aeronautics and Astronautics in Washington on December 12, 1980; in Boston on January 20, 1981; and in Los Angeles on June 12, 1981.)

Trost, R. Pa; Lurie, Philip and Berger, Edward, "A Note on Estimating Continuous Time Decision Models," 15 pp., Sep 1981

GP 12

PP 322

Warner, John T., "Issues In Navy Manpower Research and Policy: An Economist's Perspective," 66 pp., Dec 1981

PP 323

Bomse, Frederick M., "Generation of Correlated Log-Normal Sequences for the Simulation of Clutter Echoes," 33 pp., Dec 1981

PP 32

Horowlitz, Stanley A., "Quantifying Seapower Readiness," 6 pp., Dec 1981 (Published in Defense Management Journal, Vol. 18, No. 2)

PP 327

Hammon, Colin, Capt., USN and Graham, David R., Dr., "Estimation and Analysis of Navy Shipbuilding Program Disruption Costs," 12 pp., Mar 1980

PP 32

Weinland, Robert G., "Northern Waters: Their Strategic Significance," 27 pp., Dec 1980

PP 550

Lockman, Robert F., "Alternative Approaches to Attrition Management," 30 pp., Jan 1982

PP 331

Roberts, Stephen S., "The Turkish Straits and the Soviet Navy in the Mediterranean," 15 pp., Mer 1982 (Published in Navy International)

PP 332

Jehn, Christopher, "The RDF and Amphibious Warfare,"  $36~\mathrm{pp}_{\circ}$ , Mar 1982

PP 333

Lee, Lung-Fe1 and Trost, Robert P., "Estimation of Some Limited Dependent Variable Models with Application to Housing Demend," 26 pp., Jen 1982. (Published in Journal of Econometrics 8 (1978) 357-382)

PP 33

Kenny, Lewrence W., Lee, Lung-Fei, Maddela, G. S., and Trost R. P., "Marturns to College Education: An investigation of Self-Selection Blas Based on the Project Talent Data," 15 pp., Jan 1982. (Published in International Economic Review, Vol. 20, No. 5, October 1979)

PP 335

Lee, Lung-Fei, G-S- Maddele, and R- P- Trost, "Asymptotic Coverlance Matrices of Two-Stage Proble and Two-Stage Tobit Mathods for Simultaneous Equations Models with Selectivity," 13 pp., Jan 1982- (Published in Econometrics, Vol. 48, No. 2 (March, 1980)) PP 336

O'Nelli, Thomas, "Mobility Fuels for the Nevy," 13 pp., Jan 1982. (Accepted for publication in Neval institute Proceedings)

PP 33

Warner, John T. and Goldberg, Matthew S., "The influence of Non-Pecuniary Factors on Labor Supply," 23 pp., Dec 1981

PP 339

Wilson, Desmond P., "The Persian Gulf and the National Interest," 11 pp., Feb 1982

PP 340

Lurie, Philip, Trost, R. P., and Berger, Edward, "A Method for Analyzing Multiple Spell Duration Data," 34 pp., Feb 1982

PP 341

Trost, Robert P. and Vogel, Robert C., "Prediction with Pooled Cross-Section and Time-Series Data: Two Case Studies," 6 pp., Feb 1982

PP 342

Lee, Lung-Fel, Maddala, G. S., and Trost, R. P., "Testing for Structural Change by D-Mathods in Switching Simultaneous Equations Models," 5 pp., Feb 1982

PP 343

Goldberg, Matthew S., "Projecting the Navy Enlisted Force Level," 9 pp., Feb 1982

PP 344

Fletcher, Jean, W., "Navy Quality of Life and Reenlistment," 13 pp., Nov 1981

PP 345

Utgoff, Kathy and Thaler, Dick, "The Economics of Multi Year Contracting," 47 pp., Mar 1982 (Presented at the 1982 Annual Meeting of the Public Choice Society, San Antonio, Texas, March 5-7, 1982)

PP 346

Rostker, Bernard, "Selective Service and the All-Yolunteer Force," 23 pp., Mer 1982

PP 34

Jondrow, James, Trost, Robert, "An Empirical Study of Production inefficiency in the Presence of Errors-in-The-Variables," 14 pp., Feb 1982

PP 349

W. H. Breckenridge, O. Kim Meimin, "Collisional Intremultiplet Relaxation of Cd(5s5p<sup>3p</sup>O<sub>1,2</sub>) by Alkene Hydrocarbons," 7 pp., Jul 1981 (Published in Journal of Chemical Physics, 76(4), 15 Feb 1982)

PP 350

Levin, Marc, "A Method for Increesing the Firepower of Virginia Class Gruisers," 10 pp., Apr 1982 (To be published in U.S. Navel Institute Proceedings)

PP 351

Coutre, S. E.; Stanford, J. M.; Hovis, J. G.; Stevens, P. W.; Mu, T. T., "Possible Three-Dimensional Backbone Folding Around Antibody Combining Site of Immunoglobulin MOPC 167," 18 pp., Apr. 1982 (Published In Journal of Theoretical Biology)

Partoot, C. Bernard, "Aggregation of Conditional Absorbing Bartoot, C. Bernard, "Aggregation of Conditional Absorbing Merkov Chains," 7 pp., June 1982 (Presented to the Sixth European Meeting on Cybernetics and Systems Research, held at the University of Vienna, Apr 1982.

#### PP 353

Bartoot, C. Bernerd, "Some Mathematical Methods for Modeling the Performance of a Distributed Data Base System," 18 pp/-June 1982. (Presented to the International Working Conference on Model Realism, held at Bad Honnek, West Germany, Apr 1982.

See Section